

Environment, Health, & Safety Manual

The Steward Observatory

Annual Safety Report

2020



12m Radio Telescope and Very Long Baseline Array (VLBA) antenna, Kitt Peak, Arizona Image credit: Arash Roshanineshat Steward Observatory, The University of Arizona December 19, 2019



2020 Annual Safety Report

The year 2020 was unusual for safety at Steward Observatory due to a highly contagious Corona virus known as COVID-19. Early in March 2020, The University of Arizona issued a statement for faculty, staff and students to perform work and studies remotely.

"Staff who are at risk of becoming seriously ill from COVID-19 infection should consider moving to performing their job duties remotely, effective Monday, March 16. Please work directly with your supervisor to make such arrangements and consult with Human Resources as necessary."

The Safety Committee joined with University officials, Steward Observatory Directors, Project Managers and Supervisors to prevent the spread of the COVID19 virus. Our primary focus in 2020 was to aid in developing safe working protocols, obtain services from Facilities Management for essential workers, and provide accurate information to our employees. The pandemic that so many had warned about for years had arrived.

- Most employees prepared to work at home for an undefined period of time. At first there were many questions regarding employee safety in labs and at the telescope sites. We quickly changed our Executive Safety Meetings to one hour bi-weekly Zoom meetings. We also collaborated with Risk Management Services, Occupational Health, Research Lab & Safety Services, Facility Management and other University officials to develop written plans and find critical safety products. Not all employees could work from home. Thus, it was critical for Steward Observatory to enable those deemed "essential workers" to continue working in labs and telescope sites in a safe manner.
- Each telescope site and lab operated on University and CDC Guidelines to keep employees separated from potential exposure. The 12-meter on Kitt Peak was prohibited from having more than one person on site from March until mid-July. Two persons were able to perform summer shutdown work. However, it wasn't until December 2020 when they were allowed to perform observations, but without observers on site. The first on site observers occurred April, 2021.

The SMT telescope was shut down in March, but started observations in May 2020. The telescope shut down for repairs from mid-June to mid-September and then went back to observing with operators, but remote observers only.

The 90-inch telescope on Kitt Peak was closed from March until about October with one employee allowed on site to keep an eye on things and do maintenance work. In October 2020, some observing started with just one person at the telescope site. Currently, more staff are on site and guidelines are followed to minimize exposures.

Mount Lemmon shut down from March 26 to March 31, 2020 with two employees working rotating shifts to provide maintenance and keep everything in working order. In mid-June, lightning struck in the Santa Catalina Mountains and started the Bighorn Fire. The fire raged across the Catalina's towards Mt. Lemmon and was finally contained in mid-July. During this time, three to four employees worked rotating shifts of twelve or more



2020 Annual Safety Report

hours to monitor telescopes on Bigelow, the summit, and to help fire fighters as needed. After the fire, the crew continued to be on site for cleanup, maintenance and summer shutdown operations. In August 2020, observations began at the 60-inch and the two telescopes on Bigelow. The rule was that no two persons were to work together in the same space and to maintain separate dorm rooms. Observers brought their own bedding so that no one had to clean up after them.

- Most employees at the Steward building on Cherry Ave stayed home from March 16 until June 2020 when some employees were allowed permission to work in labs, machine shop or offices. In addition, there were 20 or so contractors working each day during the summer, but less (perhaps 10 or so) from September on. During this time Facilities Maintenance (FM) custodians maintained and cleaned the facility using products specific to preventing spread of COVID-19. Special trained FM teams were brought in to disinfect areas if someone was identified as having COVID symptoms. Other FM shops installed flush free toilets, hands free paper towel dispensers, protective desk guards and bottles of sanitizer to disinfect high use equipment. Special placards were used for maintaining 6 ft. distance and reminders to cover your nose and mouth with face coverings. The majority of the work force worked from home. All employees wore the required face coverings "masks" and seeing another employee in the hallway was a random occurrence.
- The LBTO closed from March 18, 2020 to May 25, 2020 with no observing, but with two (2) employees from Safford to maintain the mountain equipment safe. From May 26 to July 20 the telescope was back in operation for observing but mostly remotely from Tucson. Summer shutdown was July 21 to August 21 with Safford staff only and limited Tucson staff sleeping at the observatory. Regular observing started August 21 with maximum of four staff overnight. Make sure to read the detailed LBTO report below.
- In April 2021, University officials approved a detailed safety plan to allow essential workers from Casting, Polishing and Integration to return to work in the Mirror Lab. The comprehensive COVID-19 "return to work procedure" and training material was developed by the Mirror Lab Manager. Training for all employees included a hazard awareness for COVID-19 and Mirror Lab Safety protocols for egress, clean-up, and separation. The Mirror Lab Manager worked to support University COVID test requirements and set up a testing site at the Mirror Lab for shift workers. Such testing was made feasible by the support of the UA Test, Trace, Treat Program.

During this time, Facilities Management provided essential disinfecting equipment, hand sanitizer, plastic barriers, hazard signage, hands free paper towel dispensers and special hazmat cleaning for areas if an employee reported COVID symptoms. The Mirror Lab was one of the few research groups on campus to return to a 24/7 work schedule in late April 2020. This enabled mirror production to safely continue. All other non- essential employees worked from home.



2020 Annual Safety Report

The point in providing the above information about working conditions during the pandemic is to show that employees were continuing to work without any reported injuries. In 2020, Steward Observatory had zero (0) OSHA recordable accidents with no lost time. This is the best record yet and a reduction from the OSHA 2019 of two (2) recordable injuries.

2020 Themes and Goals

Each year the Executive Safety Committee reviews Steward Observatory's workplace safety and health program and then sets themes and goals based on noted program weaknesses or safety improvements that are needed. For 2020 our goals included: 1) make significant progress on updating fall protection equipment and procedures at telescope sites; 2) continue efforts on safe driving and; 3) promote full compliance with GHS policy and 4) complete the Steward Observatory deferred maintenance upgrade.

- 1. Promoting safe driving and obtaining full GHS policy compliance were put on hold during the pandemic.
- 2. Successfully designed a fall protection system for the 90-inch telescope roof/hatch. This system was fabricated and successfully installed at the site.
- 3. Completed the University of Arizona's Deferred Maintenance Project (DMP) to restore and upgrade the Steward Observatory building 65.

Safety Committee Meetings

In each of the past years we held at least two Safety Committee Meetings with all members of the Safety Committee. We had one meeting planned for April, 2020, but due to the COVID-19 virus we postponed that meeting indefinitely and did not schedule a second meeting. We did, however begin bi-weekly meetings of the Executive Safety Committee that met for at least one hour and continued through July, 2021. The primary focus was the safety and health of our employees during the COVID-19 pandemic. Other efforts focused on:

- Campaign to advertise annual safety accomplishments via laminated posters on strategically placed bulletin boards in Steward Building.
- Revised Incident Report procedures to ensure follow through and closure on action items.
- Updated Safety Manual hyperlinks, the manual format and page numbering system.



2020 Annual Safety Report

- Developed a formal communication line with Kitt Peak management for notification of emergencies and procedures for UA employees.
- > Developed a plan to add additional AED's to Steward Observatory main building.
- Rolled out and started using the new Safety Inspection Checklist for documenting site inspections. An inspection template was "borrowed" from LBTO and modified to facilitate site inspections by all groups.
- Investigated outside vendor (Vivid) training program as an option to update employee safety training. There is a general agreement that the Steward safety training website is obsolete in content. The review of purchased programs includes critical components such as method of training (on-line), record of training, training content, an ability to update current standards, and cost. It was determined that outside Vendor packages exceed current Observatory budgets. We are continuing to work with University departments (Risk Management Services, Research Laboratory Safety Services) to develop essential on-line training through the University Edge program for critical required trainings.

2020 Safety Improvements

This year there were many safety improvements made at the various facilities. Some improvements listed below were made on a routine basis due to site manager and employee involvement others as a result of the safety inspections. The following is a list of improvements by site.

Steward Building on Cherry

- ✓ Room 455 unblocked fire extinguisher
- ✓ Room 379 was very crowded and is now clean
- ✓ Crowded hallways cleaned up to allow for proper aisle clearance
- ✓ Floor tiles replaced where broken
- ✓ Hall near 353 had fire extinguisher on floor is now wall mounted
- ✓ At least eight emergency lights replaced
- ✓ Fourth floor hallway was very crowded, now clean
- ✓ Room 443 Electrical switch now not blocked and tripping hazards removed from floor
- ✓ Major cleaning and overhaul of HVAC system in entire building

Sunnyside Mirror Aluminizing Facility

- ✓ Platform designed to be built and installed in vacuum chamber, built but not installed
- ✓ Overhead crane has been replaced, but not yet installed due to virus



2020 Annual Safety Report

Engineering & Technical Services Facility at Tech Park

- ✓ First Aid Kit installed and stocked near bathroom
- ✓ Telephones installed at either end of the building.
- New notebook with all SDS sheets compiled and stored next to the chemical storage cabinet.
- ✓ Safety glasses required placards now posted where needed.
- ✓ Laser Caution signs posted where required.
- ✓ Compressed gases caution signs placed on bottle cart and bottle storage area.
- ✓ Lockout/Tagout station now installed with individual employee tags clearly labeled.

Richard F. Caris Mirror Lab

- ✓ Facility first aid kits, fire extinguishers and AED's continue to be inspected monthly
- ✓ Safety shower and eyewash stations are inspected
- ✓ Nine emergency lights and exit lights replaced or repaired
- ✓ Casting dust collectors have a plan for weekly inspection and cleaning

Mount Lemmon and Bigelow

✓ Improved method for ladder storage

Kitt Peak 90-Inch

- ✓ Electronics shop leaks fixed
- ✓ Cranes inspected and approved
- ✓ Slip ring changes made and approved--major improvement
- ✓ Snow removal procedure now revised and approved--another major one done
- ✓ Super Lotis rodent problem fixed
- ✓ Oil leak on big joe fixed
- ✓ Obtained truck with air bags for travel to Tucson
- ✓ B and D grinder tool rest fixed
- ✓ Oxygen/acetylene welder brought up to specifications to new policy
- ✓ All new safety harnesses purchased and inspected and operators trained for use
- ✓ Revised and approved Snow Removal Procedure

12-Meter Telescope on Kitt Peak

- ✓ Three emergency lights have been replaced.
- ✓ Chains replaced around the loading dock.
- ✓ All new asphalt driveway and parking area.
- ✓ All First Aid kits updated with new items

SMT

- ✓ Arc flash rubber gloves sent for testing/service
- ✓ All chemicals now stored in flammable storage cabinets.
- ✓ All ladders stored upright
- ✓ First aid kits updated
- ✓ Flashback arrestors installed on both tank and torch sides of hose for welder.



2020 Annual Safety Report

- ✓ Carbon monoxide detector installed in Utility room
- ✓ Replaced cracked guard on shop grinder.

MGIO

- ✓ Flashback arrestors were installed on all welding equipment
- ✓ Carb cleaner leaking in cabinet was fixed
- ✓ First aid kits all updated
- ✓ All flammable materials now stored in proper cabinets
- ✓ Flashback arrestors are now installed on welders in the utility building on summit.
- ✓ Summit welding cart now upgraded with new 02/fuel separator

ΜΜΤΟ

- \checkmark The medical trauma bag was reorganized and updated.
- ✓ Mobilize self-directing first aid rescue system was implemented for nighttime staff.
- ✓ Breaker panels were upgraded in 2019 reducing the hazards in East Observatory labs.
- ✓ Adhering to a two-person minimum for summit task days has been enforced through limited staff operations during COVID.
- Winter traction devices to prevent slips and falls during icy conditions (Kahtolla Microspikes) were distributed to mountain staff.
- ✓ Blackline lone worker device has been utilized for nighttime staff
- Adhering to a two-person minimum for summit task days has been enforced through limited staff operations during COVID




LBT (Report provided by David Carroll LBTO Safety Manager/Engineer)



To view the LBTO Safety Report, please follow the instructions below:

- 1. Expand the sidebar.
- 2. Click on the *paperclip* icon.
- 3. Double click on the file.





2020 Annual Safety Report

2020 Safety Training

The pandemic stay at home order resulted in many employees updating training from both the Steward Observatory and the University of Arizona Edge Training site. Training subjects ranged from fall arrest, arc flash to information security awareness and preventing discrimination and harassment. Early re-entry employees completed training in hazard awareness for COVID-19, disinfection and cleaning processes, use of personal protective equipment and safe distance work in facilities.

2020 Safety Metrics

Steward Observatory uses the following metrics to evaluate the safety culture and effectiveness of the safety program. These include, the record of site inspections, documented safety fixes and the OSHA record of injury report. Note that site inspections for 2020 lagged due to Covid-19 and occurred in 2021 as documented in Appendix B.


Appendix A - Risk Management OSHA Record of Injury

Appendix B – Historical accounting of accomplishments to date detailing number of infractions and fixes resulting from inspections.



Environment, Health,

2020 Annual Safety Report





Environment, Health,


2020 Annual Safety Report





Environment, Health,

2020 Annual Safety Report





Environment, Health, & Safety Manual

APPENDIX A

OSHA Record of Injuries & Lost Time 2006 to 2020

I = Injury Report

- O = OSHA Recordable Accidents and injuries
- IL = Illnesses
- L = Lost time Accidents
- T = Total lost work days

	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006
0	00	02	03	04	03	04	04	06	07	08	08	04	08	13	14
Ι	00	02	03	00	03	05	06	05	14	13	12	11	23	25	06
IL	00	00	00	01	00	00	02	01	00	01	03	01	01	02	04
L	00	00	00	01	00	00	00	00	01	01	01	00	00	01	03
Т	00	00	00	18	00	00	00	00	10	33	06	00	00	07	164

(Statistics according to official UArizona Risk Management data)





Environment, Health, & Safety Manual

OSHA's Form 300A (Rev. 01/200 Summary of Work-Related Injuries and Illnesses

All establishments covered by Part 1904 must complete this Surviver page, even if no lejusies or Energies occurred during the year. Remember to review the Log to verify that the entities are complete

Using the Log, court the individual anthins you made for each category. Then wells the locals below, making sure you've added the antifer from every page of the log. If you had no cases write "0."

Employees known employees, and their representatives have the right to review the CSHA Form 350 in the estimate. They also have kinded secret to the CSHA Form 504 or its equivalent. See 20 CRF 1001-35, its CSHA's Recombining and its, for instance secret secret secret secret and the three hims.

Number of Cases

Total sursber of deaths	Total number of cases with days away from work	Total number of cases with job transfer or restriction	Total number of other recordable cases
0 (G)		0	
Number of Days			
Total number of days away from		Total number of days of job transfer or restriction	

 00		_
Injury and Illness Types		
Total number of		
(f) Injury	0 (4) Poisoning	0

22 Skin Disorder
0 (5) Hearing Loss
0
0 (6) All Other Illnesses
0

Post this Summary page from February 1 to April 30 of the year following the year covered by the form

Public reporting burden for this selection of internation is defined at a sensor 56 minute per response, indexing time to review the instruction, sound and performant of data readed, and compare and review the callocator of internation. Persons are not required to respond to the callocation of internation unless it displays a control with OMR-month number. If you have any community internation frame collections of the callocation of internation, unless it displays a control with OMR-month number. If you have any community internation frame collections or any aspects of the data mixedion, cardwait US Department of Labor, DRA Office of Sectionize, Room Model4, 200 Constitution Ave, XIV, Meetington, SC 202112. De not sould forms and the completed forms to the data section and any constraint of the completed forms to the section of the section of the completed forms to the data section and the completed forms to the section of the completed forms to the data section of the completed forms to the data section of the section of the completed forms to the data section of the section of the completed forms to the data section of the completed forms to the data section of the section of the section of the section of the data section of data section of

Your astability establishment same Stream (Distervatory - All Arrest All All Cherry Ave. Dity Tucaon State Attaine Zip 8571 Industry description (e.g., Manufacture of motor truck trailers) Cacheges and University Cacheges and University Kanesani Industrial Classification (SKC), Y known (e.g., SKC 3716) State American Industrial Classification (KAPCS), if known (e.g., SSR212) comment Information	
Oty Tucaon Claste Ascone Zip 0571 rdurthy description (e.g., Manufacture of motor inuck trailers) Cucleges and University Zip 2571 Ransand Industrial Classification (SKC), Yiknewn (e.g., SHC 3715) Sich American Industrial Classification (SKC), J known (e.g., SHC 3715)	_
ndustry description (e.g., Mansfedure of motor truck trailers) Colleges and University Randard Industrial Classification (SKC), 7 known (e.g., SKC 3715) Rath American Industrial Classification (XKVCS), 8 known (e.g., S08212)	_
Carleges and University Randard Industrial Classification (SKC), I' known (s.g., SHC 3715) Ranta American Industrial Classification (K44CS), if known (s.g., SH212)	25
iante American Industria: Classification (XAVCS), if known (o.g., 508212)	_
oyment information	
versual average number of opployees	
total hours worked by ell employees lost	
44°	
here	
inswingly faibitying this document may result in a fire.	
cartify that I have examined this docurrent and that to the test of my knowledge the oritins are true, accurate, and	
Altelli Chu	_
520-621-1790 1/26/2	
Proce Data	21

Year 2020

U.S. Department of Labor Occupational Select and Health Administration

Fam approved GMD no. 1218-0130



Environment, Health, & Safety Manual

APPENDIX B

Steward Observatory Site Inspections

Site	Inspected	Rem.	+	New	Inspected	Rem.	+	New	Inspected	Rem.	+	New	Inspected	Rem.	+	New
MT Lem & C Tele	10/22/19	8	+	4	02/07/21	8	+	19	07/05/21	11		5		0		0
KP & Sunny	09/23/19	9	+	6	10/25/20	6	+	8	05/05/21	6		9		0		0
MGIO	10/28/19	2	+	6	10/03/20	1	+	2	04/17/21	3		2		0		0
VATT	10/28/19	0	+	2	01/21/21	1	+	3	06/04/21	3		2		0		0
LBT	10/28/19	1	+	8	11/17/20	0	+	3	07/12/21	0		3		0		0
MMTO		0	+	0	03/30/20	0	+	5		0		0		0		0
SO & Annex	11/26/19	0	+	1	02/08/21	0	+	1		0		0		0		0
Imaging Tech	12/17/19	0	+	0	11/10/20	0	+	0	05/13/21	0		0		0		0
ETS Facility	12/18/19	0	+	0	09/9/20	0	+	6	03/18/21	0		0		0		0
Optics Shop	12/17/19	2	+	3		0	+	0		0		0		0		0
12-Meter	09/23/19	3	+	2	11/24/20	2	+	6	06/14/21	5		2		0		0
SMT	10/28/19	2	+	6	11/17/20	0		3	04/29/ 21	1		1		0		0
SO Mirror Lab	12/16/19	0	+	2	10/27/20	0	+	6	06/03/21	0		1		0		0
Totals		27	+	40		18		71		29		25		0		0
Total items fixed		1296				1345				1405				0		
Total infractions				1363				1434				1459				0



Site	Inspected	Rem.	+	New												
MT Lem & C Tele	10/03/17	7	+	4	04/16/18	4	+	2	09/18/18	4		1	05/15/19	2		8
KP & Sunny	10/10/17	3	+	3	03/19/18	4	+	4	09/25/18	6		1	08/14/19	3		9
MGIO	09/26/17	1	+	0	05/07/18	1	+	0	09/12/18	1		3	06/25/19	0		1
VATT	09/26/17	0	+	0	05/07/18	0	+	0	09/12/18	0		0	06/25/19	0		5
LBT	09/26/17	0	+	2	05/07/18	0	+	1	09/12/18	0		1	06/26/19	0		2
MMTO	11/13/17	0	+	3		0	+	0	10/10/18	1		5		0		0
SO & Annex	10/24/17	11	+	38	04/02/18	14	+	4	10/29/18	6		25	06/01/19	9		6
Imaging Tech	11/20/17	0	+	0	06/06/18	0	+	0	11/26/18	0		2	07/02/19	0		0
ETS Facility		0	+	0	Closed	0	+	0		0		0	08/07/19	0		2
Optics Shop	11/14/17	0	+	4	05/22/18	2	+	2	11/19/18	1		2	05/07/19	2		0
12-Meter	10/10/17	3	+	5	03/19/18	2	+	1	10/10/18	1		0	04/22/19	1		3
SMT	09/26/17	0	+	0	05/07/18	0	+	1	09/12/18	0		0	06/26/19	0		2
SO Mirror Lab	12/11/17	0	+	5	06/11/18	0	+	4	12/09/18	0		8	07/30/19	1		2
Totals		25	+	64		27	+	19		20		48		18		40
Total items fixed		1127				1189				1215				1265		
Total infractions				1216				1235				1283				1323



Site	Inspected	Rem.	+	New												
MT Lem & C Tele	09/30/15	1	+	6	04/05/16	3	+	10	09/06/16	7		10	03/29/17	9		3
KP & Sunny	11/10/15	1	+	0	03/29/16	0	+	1	10/11/16	0		0	03/23/17	0		5
MGIO	09/16/15	0	+	0	05/10/16	0	+	0	09/21/16	0		0	05/11/17	0		2
VATT	09/16/15	0	+	1	05/10/16	0	+	0	09/21/16	0		0	05/11/17	0		1
LBT	09/16/15	0	+	1	05/10/16	0	+	5	09/21/16	0		3	05/11/17	0		2
MMTO	10/20/15	0	+	6	05/03/16	0	+		10/31/16	1		5		0		
SO & Annex	11/09/15	7	+	9	05/02/16	5	+	3	11/14/16	7		6	04/11/17	10		8
Imaging Tech	11/23/15	0	+	0	04/11/16	0	+	1	11/29/16	0		0	04/19/17	0		3
Solar Tracker	12/09/15	0	+	1	05/03/16	0	+	2	12/19/16	0		2	05/30/17	0		0
Optics Shop	10/19/15	1	+	2	04/13/16	1	+	3	11/21/16	2		1	05/01/17	3		3
12-Meter	11/10/15	5	+	5	03/29/16	2	+	0	10/11/16	2		0	03/23/17	2		4
SMT	09/16/15	0	+	0	05/10/16	0		0	09/21/16	0		0	05/11/17	0		0
SO Mirror Lab	12/14/15	0	+	7	05/09/16	0	+	3	12/05/16	0		0	05/08/17	0		5
Totals		15	+	38		11		28		19		27		24		36
Total items fixed		1008				1050				1070				1092		
Total infractions				1061				1089				1116				1152



Steward Observatory Environment, Health, & Safety Manual

Site	Inspected	Rem.	+	New												
MT Lem & C Tele	11/05/13	3	+	3	04/08/14	4	+	2	10/01/14	2		2	04/14/15	1		3
KP & Sunny	11/12/13	1	+	3	04/01/14	2	+	2	11/12/14	2		1	04/08/15	0		2
MGIO	09/25/13	0	+	4	05/13/14	0	+	1	09/18/14	0		0	05/19/15	0		0
VATT	09/25/13	0	+	0	05/13/14	0	+	1	09/18/14	0		1	05/19/15	0		0
LBT	09/25/13	0	+	0	05/13/14	0	+	0	09/18/14	0		0	05/19/15	0		2
MMTO	10/24/13	0	+	32	06/11/14	0	+			0				0		
SO & Annex		0	+		05/21/14	14	+	6	11/24/14	6		15	05/18/15	3		12
Imaging Tech		0	+		05/20/14	0	+	0	12/02/14	0		3	05/11/15	0		2
Solar Tracker		0	+		05/19/14	0	+	0	11/20/14	0		4	0520/15	1		0
Optics Shop	11/26/13	0	+	12	06/03/14	2	+	6	11/19/14	2		0	05/12/15	1		0
12-Meter	11/22/13	0	+	0	04/01/14	0	+	0	11/12/14	0		7	04/08/15	4		3
SMT	09/25/13	2	+	3	05/13/14	3		0	09/18/14	0		1	05/19/15	1		1
SO Mirror Lab		0	+		05/22/14	0	+	1		0			02/09/15	0		4
Totals		6	+	57		25		19		12		34		11		29
Total items fixed		878				916				948				983		
Total infractions				941				960				994				1023



Site	Inspected	Rem.	+	New												
MT Lem & C Tele	11/17/11	0	+	2	05/16/12	0	+	7	11/19/12	5		2	05/28/13	3		2
KP & Sunny	11/22/11	0	+	2	05/29/12	0	+	0	11/15/12	0		0	05/21/13	0		6
MGIO	09/19/11	0	+	1	05/09/12	0	+	1	11/08/12	0		0	05/02/13	0		0
VATT	09/19/11	0	+	0	05/09/12	0	+	0	11/08/12	0		0	05/02/13	0		0
LBT	09/19/11	0	+	4	05/09/12	1	+	0	11/08/12	0		1	05/02/13	0		3
SO & Annex	02/27/12	8	+	18	09/17/12	8	+	6	04/09/13	9		11	11/20/13	12		14
Imaging Tech	05/01/12	0	+	1	01/14/13	0	+	0	06/10/13	0		2	11/04/13	0		0
Solar Tracker	03/20/12	0	+	1	08/14/12	1	+	1	03/26/13	0		2	11/25/13	0		0
Optics Shop			+				+		12/18/12	0		18	05/23/13	2		4
12-Meter	11/22/11	0	+	0	05/29/12	0	+	1	11/15/12	0		0	05/21/13	0		0
SMT	09/19/11	1	+	0	05/09/12	0		0	11/15/12	0		0	05/02/13	0		3
SO Mirror Lab	02/29/12	0	+	11	10/04/12	0	+	5	04/09/13	0		11	11/27/13	0		8
Totals		9	+	40		10		21		14		47		17		40
Total items fixed		727				766				783				827		
Total infractions				776				797				844				884



Site	Inspected	Rem.	+	New												
MT Lem & C_Tele	11/09/09	1	+	0	04/29/10	0	+	2	12/08/10	1		0	04/28/11	1		1
KP & Sunny	11/18/09	0	+	1	04/14/10	0	+	4	11/30/10	0		2	03/08/11	0		0
MGIO	11/10/09	0	+	0	05/12/10	0	+	1	09/21/10	0		0	05/26/11	0		0
VATT	11/10/09	0	+	0	05/12/10	0	+	0	09/21/10	0		1	05/26/11	0		0
LBT	11/10/09	0	+	0	05/12/10	0	+	0	09/21/10	0		3	05/26/11	1		2
SO & Annex	02/04/10	7	+	12	06/22/10	5	+	6	01/06/11	6		14	07/19/11	5		18
Imaging Tech	03/02/10	0	+	0	07/21/10	0	+	2	01/06/11	0		0	07/12/11	0		0
LBTI & Solar Tra	02/08/10	1		1	06/23/10	0	+	5	12/14/10	0		2	07/12/11	0		2
Tumamoc Hill	mothballed		+		mothballed		+		mothballed				mothballed			
12-Meter	11/18/09	0	+	1	04/14/10	1	+	3	11/30/10	1		2	03/08/11	0		1
SMT	11/10/09	2	+	1	05/12/10	0	+	4	09/21/10	2		0	05/26/11	2		2
SO Mirror Lab	03/05/10	1	+	28	07/15/10	3	+	4	11/22/10	0		7	08/02/11	0		4
Totals		12	+	44		9		31		10		31		9		30
Total items fixed		588				635				665				697		
Total Infractions				644				675				706				736



Site	Inspected	Rem.	+	New	Inspected	Rem.	+	New	Inspected	Rem.	+	New	Inspected	Rem.	+	New
MT Lem & C-Tele	03/31/08	4	+	13	09/04/08	8	+	5	01/21/09	3		3	07/07/09	1		3
KP & Sunny	05/08/08	0	+	4	08/07/08	1	+	1	12/16/08	2		0	06/04/09	2		7
MGIO	06/16/08	0	+	0	10/01/08	0	+	0	03/11/09	0		0	07/13/09	0		0
VATT	06/16/08	0	+	0	10/01/08	0	+	0	03/11/09	0		0	07/13/09	0		0
LBT	06/16/08	0	+	4	10/01/08	0	+	1	03/11/09	0		1	07/13/09	0		0
SO Office & Labs	06/19/08	17	+	11	11/05/08	10	+	10	04/02/09	8		30	07/28/09	10		6
Imaging Tech		0	+	0	11/06/08	0	+	2	05/18/09	0		1	08/25/09	0		0
LBTI Lab & So Te	06/17/08	0	+	2	11/20/08	0	+	11	04/9&5/6	1		4	08/19/09	0		2
Tumamoc Hill	mothballed		+		mothballed		+		mothballed				07/07/09	0		0
12-Meter	05/08/08	2	+	2	08/07/08	0	+	0	12/16/08	0		3	06/04/09	0		3
SMT	06/16/08	1	+	4	10/01/08	1	+	2	03/11/09	1		2	07/13/09	3		2
SO Mirror Lab	06/17/08	8	+	7	11/20/08	3	+	2	04/15/09	0		29	07/28/09	6		2
Totals		32	+	47		23		34		15		73		22		25
Total items fixed		389				445				487				553		
Total infractions				468				502				575				600



Site	Inspected	Found	Inspected	Rem.	+	New	Inspected	Rem.	+	New	Inspected	Rem.	+	New	Inspected	Rem.	+	New
Mt Lemmon	03/30/06	24	08/09/06	6	+	2	03/15/07	3	+	4	07/05/07	3		8	12/05/07	2		9
KP & Sunny	04/25/06	24	08/17/06	7	+	0	01/25/07	2	+	0	07/06/07	1		7	11/28/07	0		0
MGIO	05/03/06	2	08/22/06	0	+	0	04/04/07	0	+	0	08/29/07	0		0	01/16/08	0		1
VATT	05/03/06	28	08/14/06	24	+	1	04/04/07	13	+	7	08/29/07	14		2	01/16/08	2		1
LBT	05/04/06	9	08/22/06	0	+	3	04/04/07	0	+	0	08/29/07	0		8	01/16/08	2		1
SO & Tele	05/25/06	72	11/28/06	38	+	10	05/03/07	27	+	21	09/05/07	22		5	02/04/08	13		15
Imaging Tech	05/31/06	9	11/29/06	0	+	1	04/16/07	0	+	0	09/11/07	0		3	02/04/08	1		0
SMP	06/02/06	5	11/29/06	4	+	6	05/24/07	3	+	2	09/20/07	1		2	02/06/08	0		3
Tumamoc Hill	-	-	08/23/06	3		-	02/20/07	0	+	0	mothballed							
12-Meter	04/25/06	9	08/07/06	0	+	6	01/25/07	4	+	5	08/07/07	5		2	11/28/07	1		2
SMT	05/03/06	15	08/22/06	9	+	12	04/04/07	3	+	4	08/29/07	4		3	01/16/08	2		1
SO Mirror Lab	05/23/06	23	12/07/06	10	+	10	05/24/07	6	+	17	09/20/07	14		12	02/06/08	10		5
Totals		220		101	+	51		61		60		64		52		33		38
Total items fixed				119				210				267				350		
Total infractions		220				271				331				383				421



Environment, Health, & Safety Manual

2020 Annual Safety Report

Prepared by:

ali A Webt

Dale A. Webb Safety Manager

di Karen Kenagy

Program Manager

Approvers:

Buell Jannuzi

Head, Department of Astronomy Director, Steward Observatory

Mark Buglewicz

Associate Director, Steward Observatory Head of Business Services, Astronomy